

MDR - CLASS 1900 RULES

CLASS 1900 RULES ARE A WORK IN PROCESS – COMPLETE RULES WILL BE AVAILABLE ASAP.

ALL TEAMS MUST ADHERE TO “INDUSTRY STANDARDS” FOR COMPLETE LIST OF SAFETY REQUIREMENTS.

HELMET:

"SA2000, SA2005" SNELL approved rating required with legible Snell sticker, label attached. Eye protection with open face and full face helmet will be required. Helmet straps must have “D” rings.

NO SNAPS.

DRIVING SUIT:

A SFI labeled one piece driving suit is mandatory. One piece driving suit must be able to cover neck to wrist to ankles. Driving suit and gloves must be made of fire resistant material and be free from holes, tears, rips, dirt and oil stains. Driving suits must not have any other race organizations name.

CLASS 1900 -

Trophy Rhino Rules

1. Must resemble Yamaha Rhino, Polaris Ranger or Artic Cat Prowler
2. Engine Block must match body type
3. NO - Super Chargers, Turbo Chargers, Replacement Engines
4. Must have Stock Injection
5. Full Side Panel Required – Minimum of 24” from floor
6. Window Nets Required
7. Fire extinguisher required
8. Snell approved Helmets Required
9. 5 Points Harnesses Required
10. One piece Fire Suits Required
11. 2 Occupants Required
12. Mandated Numbers Required
13. Must be 15 years old to compete

MDR - CLASS 1950 RULES

CLASS 1950 RULES ARE A WORK IN PROCESS – COMPLETE RULES WILL BE AVAILABLE ASAP.

ALL TEAMS MUST ADHERE TO “INDUSTRY STANDARDS” FOR COMPLETE LIST OF SAFETY REQUIREMENTS.

HELMET:

"SA2000, SA2005 " SNELL approved rating required with legible Snell sticker, label attached. Eye protection with open face and full face helmet will be required. Helmet straps must have “D” rings.

NO SNAPS.

DRIVING SUIT:

A SFI labeled one piece driving suit is mandatory. One piece driving suit must be able to cover neck to wrist to ankles. Driving suit and gloves must be made of fire resistant material and be free from holes, tears, rips, dirt and oil stains. Driving suits must not have any other race organizations name.

CLASS 1950 -

Super Stock Rhino Rules

1. Must be Yamaha Rhino, Polaris or Artic Cat Prowler
2. Must retain Stock Suspension (Aftermarket Shocks permitted)
3. Engine must be based around Stock Model (Aftermarket CDI, Aftermarket Exhaust and Aftermarket Air Intakes ALL PERMITTED)
4. Work Bed must be stock (??? Bottom of bed ???)
5. Full Side Panel Required – Minimum of 24” from floor
6. Window Nets Required
7. Fire extinguisher required
8. Snell approved Helmets Required
9. 5 Points Harnesses Required
10. One piece approved Fire Suits Required
11. 2 Occupants Required
12. Mandated Numbers Required
13. Must be 15 years to compete

MDR - CLASS 2000 RULES

CLASS 2000 RULES ARE A WORK IN PROCESS – COMPLETE RULES WILL BE AVAILABLE ASAP.

ALL TEAMS MUST ADHERE TO “INDUSTRY STANDARDS” FOR COMPLETE LIST OF SAFETY REQUIREMENTS.

HELMET:

"SA2000, SA2005" SNELL approved rating required with legible Snell sticker, label attached. Eye protection with open face and full face helmet will be required. Helmet straps must have “D” rings.

NO SNAPS.

DRIVING SUIT:

A SFI labeled one piece driving suit is mandatory. One piece driving suit must be able to cover neck to wrist to ankles. Driving suit and gloves must be made of fire resistant material and be free from holes, tears, rips, dirt and oil stains. Driving suits must not have any other race organizations name.

Class 2000

Trophy Kart

1. Karts must use Newline Products Trophy Kart and Rules – NO EXCEPTIONS